

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows. This listing of claims will replace all prior listings.

1.-5 (CANCELLED)

6. (CURRENTLY AMENDED) A method of adjusting a volume within a vehicle intake manifold assembly comprising the steps of:

(1) communicating a plenum volume with an engine pressure; ~~and~~

(2) communicating a deformable member within the plenum with an atmospheric pressure such that a differential pressure therebetween inflates and deflates the deformable member in response thereto to vary a volume of the deformable member which respectively varies the volume within the plenum, the deformable member resiliently mounted within the plenum; and

(3) contracting the deformable member with a resilient member in response to the differential pressure being substantially equivalent to atmospheric pressure.

7-11. (CANCELLED)

12. (PREVIOUSLY PRESENTED) A vehicle intake manifold assembly comprising:
a plenum; and
a bellows within said plenum, said bellows adjustable in volume to change the volume within said plenum, said deformable member in communication with atmospheric pressure, said deformable member is inflatable and deflatable in response to a differential pressure between a pressure within the plenum and atmospheric pressure.

13. (PREVIOUSLY PRESENTED) A vehicle intake manifold assembly comprising:
a plenum;
a deformable member within said plenum, said deformable member adjustable in volume to change the volume within said plenum, said deformable member in communication with atmospheric pressure; and
a resilient member mounted between said plenum and said deformable member, said deformable member is inflatable and deflatable in response to a differential pressure between a pressure within the plenum and atmospheric pressure.

14. (CANCELLED)

15. (PREVIOUSLY PRESENTED) A method of adjusting a volume within a vehicle intake manifold assembly comprising the steps of:

- (1) communicating a plenum volume with an engine pressure;
- (2) resiliently mounting the deformable member within the plenum; and
- (3) communicating a deformable member within the plenum with an atmospheric pressure such that a differential pressure therebetween varies the volume of the deformable member which respectively varies the volume within the plenum.

16. (CANCELLED)

17. (PREVIOUSLY PRESENTED) The vehicle intake manifold assembly comprising:

a plenum;

a deformable member within said plenum, said deformable member in communication with atmospheric pressure, said deformable member inflatable and deflatable to adjust a volume of the deformable member to change a volume within said plenum;

a resilient member mounted between said plenum and said deformable member;

said deformable member is inflatable and deflatable relative to atmospheric pressure; and

said deformable member is inflatable and deflatable in response to a differential pressure between a pressure within the plenum and atmospheric pressure.

18-20. (CANCELLED)